



MAIGA & CO®

INTERNATIONAL

|

ALLAH KI YIRIWA



+90 535 941 47 28

+223 74 73 00 06

WWW.MAIGACO.COM

MAHAMADUMAIGA906@YAHOO.COM



# Uniforms



**COMBAT UNIFORMS**



#### DESCRIPTION

NAME	E7 Special & Airsoft Tropic suit
MODEL NUMBER	07-3001
MATERIAL	Cotton/Polyester
COLORS	Black/Black CP, Army Green, CP
SLEEVES	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Armed, Tactical training, Hunting, shooting



#### DESCRIPTION

NAME	E7 Special & Airsoft Tropic suit
MODEL NUMBER	07-3001
MATERIAL	Cotton/Polyester
COLORS	Black/Black CP, Army Green, CP
SLEEVES	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Armed, Tactical training, Hunting, shooting



#### DESCRIPTION

NAME	A combat uniform
MODEL NUMBER	07-3002
MATERIAL	Cotton/Polyester
COLORS	Black/Black CP, Army Green, CP
SLEEVES	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Armed, Tactical training, Hunting, shooting



#### DESCRIPTION

NAME	A combat uniform
MODEL NUMBER	07-3002
MATERIAL	Cotton/Polyester
COLORS	Black/Black CP, Army Green, CP
SLEEVES	Long Sleeve
SIZE	S,M,L,XL,XXL
APPLICATION	Armed, Tactical training, Hunting, shooting





# Uniforms



## COMBAT SHIRT

- + Velcro on the pocket for badges on the sleeve pocket
- + Chest splice design
- + Cuff Velcro design
- + Feature: cozy, waterproof, dry quickly, breathe



## COMBAT SHIRT

- The waist of pants is designed for more protecting
- The knee part has a hole for knee padding to keep safety
- Twelve pockets are convenient for outdoor and battle field






# Uniforms



CXBD-02






CXBD-03



CXBD-04



# Uniforms





# Uniforms






# Uniforms





# Uniforms






# Uniforms

<p><b>UF-5001</b> Dolmuş Pijama S, M, L, XL, XXL</p>	<p><b>UF-5002</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UF-5003</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>	<p><b>MF-5001</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>MF-5002</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>MF-5003</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>
<p><b>UF-5004</b> Dolmuş Pijama S, M, L, XL, XXL</p>	<p><b>UF-5005</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UF-5006</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>	<p><b>MF-5004</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>	<p><b>MF-5005</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>MF-5006</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>
<p><b>UM-0001</b> Dolmuş Pijama S, M, L, XL, XXL</p>	<p><b>UM-0002</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UM-0003</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>	<p><b>MM-0001</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>MM-0002</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>MM-0003</b> Koyu Yeşil Pijama S, M, L, XL, XXL</p>
<p><b>UM-0004</b> Dolmuş Pijama S, M, L, XL, XXL</p>	<p><b>UM-0005</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UM-0006</b> Dolmuş Pijama S, M, L, XL, XXL</p>	<p><b>MM-0004</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UM-0005</b> Sarı Pijama S, M, L, XL, XXL</p>	<p><b>UM-0006</b> Dolmuş Pijama S, M, L, XL, XXL</p>




# Uniforms





# Uniforms





# Uniform accessories



On Feb. 7, 2024, China Xinxing Plume Accessories serves for Grenada Military Parade for Grenada's 50th Anniversary of Independence Celebration.



# Boots



TACTICAL BOOTS



# Boots

## DESCRIPTION

NAME	TACTICAL BOOT MUST BE RELIABLE
MODEL NUMBER	BT-3001
SHAPE	High shoes   Low shoes
MATERIAL	CORDURA + EVA+TPU
COLORS	Black, Tan
WEIGHT	High shoes-1.2kg; Low shoes-0.7kg
SIZE	CN 36-45   US 3-9.5
APPLICATION	assault, range, airsoft, tactical, training, hunting, shooting



SOLE CAPACITY NON-SLIP ANTI-SHOCK NON-DEFORMATION



+



• SHAPE



■ High shoes



■ Low shoes



Resistant to compression



# Boots





# Shoes





# Boots

 <p><b>BT-3009</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-3010</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-3011</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5007</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5008</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5009</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 
 <p><b>BT-3012</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-3013</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-3014</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5010</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5011</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5012</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 
 <p><b>BT-3015</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5001</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5002</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5013</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5014</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5015</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 
 <p><b>BT-5003</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5004</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5005</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5016</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5017</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 	 <p><b>BT-5018</b> C200004 + 1200-170 High shank   Low shank DN 38-41   US 9-4.5</p> 



# Tactical Gears





# Tactical Gears



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8116
MATERIAL	600D Nylon
COLORS	Black, Grey, Tan, Army green,
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8193
MATERIAL	1000D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-lacs lg
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6031
MATERIAL	600D Polyester
COLORS	Black, Tan, CP, Black cp,
WEIGHT	2kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-8490
MATERIAL	500D Nylon
COLORS	Black
WEIGHT	1.96kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting





# Tactical Gears



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6026-3
MATERIAL	1000D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-tacs fg
WEIGHT	1.8kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-1063
MATERIAL	600D Polyester
COLORS	Black, Grey, Tan, Army green, CP, Black cp, Acu, A-tacs fg, Flecktarnmuster, Italy Camo
WEIGHT	1.3kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-6031
MATERIAL	600D Polyester
COLORS	Black, Tan, CP, Black cp,
WEIGHT	2kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting



## DESCRIPTION

NAME	Plate carrier
MODEL NUMBER	VT-1065
MATERIAL	600D Polyester
COLORS	Black, Fluorescent yellow
WEIGHT	1.3kg
DIMENSIONS	75-125cm /29.5-49 inch
APPLICATION	Application: assault, range, airsoft, tactical, training, hunting, shooting






# Tactical Gears

 <p><b>VT-1055</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-1011</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8025</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-001</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-003</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>A88032</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 
 <p><b>VT-1090</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8204</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-6027</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8196</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8191</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-1104</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 
 <p><b>VT-0001</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8302</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-300</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-0E006</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>KS-005</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-1051</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 
 <p><b>VT-8426</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8280</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8254</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8212</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>VT-8213</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 	 <p><b>CLK-1-A</b> 600D Polyester 15-20lbs (6.8-9.1kg)</p> 



# Tactical Gears





# Tactical Gears



**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-011-06

**MATERIAL:** 1000 Polyester

**COLORS:** Black, Tan, Black/Cp

**WEIGHT:** 10" x 3.5kg

**SIZE:** 30" (90") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting

**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-100

**MATERIAL:** 600D Polyester

**COLORS:** Black

**WEIGHT:** 30" x 4kg

**SIZE:** 30" (90") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting

**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-002

**MATERIAL:** 1000 Polyester

**COLORS:** Black, Olive, Tan, Army Green, Dk. Black/Cp

**WEIGHT:** 10" x 3.5kg, 2" x 4kg

**SIZE:** 30" (90") 30" (90cm), 42" (130") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting

**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-000-1

**MATERIAL:** 1000 Polyester

**COLORS:** Black, Tan, Olive/Cp

**WEIGHT:** 10" x 3.5kg

**SIZE:** 30" (90") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting

**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-000-2

**MATERIAL:** 600D Polyester

**COLORS:** Black

**WEIGHT:** 30" x 4kg

**SIZE:** 30" (90") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting

**DESCRIPTION**

**NAME:** Tactical roll top case

**MODEL NUMBER:** TG-100

**MATERIAL:** 600D Polyester

**COLORS:** Black, Tan, Army Green

**WEIGHT:** 30" x 3.5kg

**SIZE:** 30" (90") 30" (90cm)

**APPLICATIONS:** Assault, Range, Mount, Tactical, Training, Hunting, Shooting



# Tactical Gears



**KF-105**



**B-103**



**GB-90508**



**GN-9011**



**BG-001**



**GN-9009**



**GB-9020**



**GN-90**



**604005**



**TL-704**



**KF-105**



**GN-9031**



**TL-7058**



**688003**





# Backpacks





# Tactical Gears

+



DESCRIPTION	
NAME	ASSAULT BACKPACK
MODEL NUMBER	AF-850
MATERIAL	1000D Polyester
COLORS	Mollican
WEIGHT	2.5kg
SIZE	50*30*23 cm / 22*12*9 in
VOLUME	50L
APPLICATION	assault, range, assault, tactical, training, hunting, shooting



• DISPLAY OF OPERATION



• COMBINATION PARTS



Shooting rifle set    Binocular and searchlight    Backpack    Sniper shooting mat & backpack

• DETAILS





# Tactical Gears

+



## DESCRIPTION

NAME	ASSAULT BACKPACK
MODEL NUMBER	AP-133
MATERIAL	1000D Polyester
COLORS	Tan
WEIGHT	2.5kg
SIZE	21" x 25.4" x 16 cm   12" x 10" x 23 in
VOLUME	45L
APPLICATION	assault, range, airsoft tactical training, hunting, shooting



## DISPLAY OF OPERATION



## COMBINATION PARTS



ammunition and weapons pocket

ripstop backpack

assault/shooting vests backpack

## DETAILS





# Tactical Gears

**+**



**DESCRIPTION**

<b>NAME</b>	Multifunctional Tactical padded Belt
<b>MODEL NUMBER</b>	L1W10-1
<b>MATERIAL</b>	1000D Nylon
<b>COLORS</b>	Black, Tan, CP, Black CP, A-TACS FG, Desert Camo, Woodland Camo
<b>WEIGHT</b>	1.2kg
<b>SIZE</b>	75-125 cm / 29.5-49 in
<b>APPLICATION</b>	assault, range, airsoft, tactical, training, hunting, shooting





**+**



**DESCRIPTION**

<b>NAME</b>	Cobra Buckle Release Tactical Belt
<b>MODEL NUMBER</b>	BL-2231
<b>MATERIAL</b>	Nylon & Metal Buckle
<b>COLORS</b>	Black, Tan, Black+Tan, Tan+Black
<b>WEIGHT</b>	0.4g
<b>SIZE</b>	89-109 cm / 35-43 in
<b>APPLICATION</b>	assault, range, airsoft, tactical, training, hunting, shooting




**+**



**DESCRIPTION**

<b>NAME</b>	Multifunctional Tactical padded Belt
<b>MODEL NUMBER</b>	TG-2012
<b>MATERIAL</b>	1000D Nylon
<b>COLORS</b>	Black, Grey, Tan, Army Green, CP, Black CP
<b>WEIGHT</b>	0.8kg
<b>SIZE</b>	75-114 cm / 29.5-44.8 in
<b>APPLICATION</b>	assault, range, airsoft, tactical, training, hunting, shooting




**+**



**DESCRIPTION**

<b>NAME</b>	Cobra Buckle Release Tactical Belt
<b>MODEL NUMBER</b>	BL-2233
<b>MATERIAL</b>	Nylon & Metal Buckle
<b>COLORS</b>	Black, Tan, CP
<b>WEIGHT</b>	0.33kg
<b>SIZE</b>	125CM Total length; 5CM Buckle Width
<b>APPLICATION</b>	assault, range, airsoft, tactical, training, hunting, shooting






# Tactical Gears

**DESCRIPTION**

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KA-001
MATERIAL	1000 Polyester
COLORS	Black, Tan, Multicam
WEIGHT	2.5kg
SIZE	39"23"15 cm (127"12"8"9.2" in)
VOLUME	55L
APPLICATION	General, range, assault, tactical, training, hunting, shooting

**DESCRIPTION**

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KA-001
MATERIAL	1000 Polyester
COLORS	Black, Tan, Multicam, Olive Drab
WEIGHT	2.5kg
SIZE	39"23"15 cm (127"12"8"9.2" in)
VOLUME	55L
APPLICATION	General, range, assault, tactical, training, hunting, shooting

**DESCRIPTION**

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KA-2227
MATERIAL	1000D Polyester
COLORS	Army Green
WEIGHT	2.5kg
SIZE	38"32"20 cm (122"12"8"9.2" in)
VOLUME	45L
APPLICATION	General, range, assault, tactical, training, hunting, shooting

**DESCRIPTION**

NAME	TACTICAL ASSAULT PACK
MODEL NUMBER	KA-001
MATERIAL	1000D Polyester
COLORS	Tan
WEIGHT	2.5kg
SIZE	32"48"20 cm (103"3"16"8"12.6" in)
VOLUME	50L
APPLICATION	General, range, assault, tactical, training, hunting, shooting

**DESCRIPTION**

NAME	ASSAULT BACKPACK
MODEL NUMBER	KA-016
MATERIAL	1000D Polyester
COLORS	Multicam
WEIGHT	2.5kg
SIZE	18"26"26 cm (71"6"13"8"9.6" in)
VOLUME	50L
APPLICATION	General, range, assault, tactical, training, hunting, shooting

**DESCRIPTION**

NAME	ASSAULT BACKPACK
MODEL NUMBER	KA-016
MATERIAL	1000D Polyester
COLORS	Black
WEIGHT	2.5kg
SIZE	18"26"26 cm (70.9"13"8"7.3" in)
VOLUME	50L
APPLICATION	General, range, assault, tactical, training, hunting, shooting



# Tactical Gears



## DESCRIPTION

NAME	ALICE PACK BLIVE 0880
MODEL NUMBER	L-1001
MATERIAL	600D Polyester
COLORS	Army Green
WEIGHT	3.3kg
SIZE	98L*131*79.5cm / 422.5*114.5*79.5in
VOLUME	70L
APPLICATION	Application: assault, range, assault, tactical, training, hunting, shooting



## DESCRIPTION

NAME	ALICE PACK BLIVE 0880
MODEL NUMBER	SH-0001
MATERIAL	600D Polyester
COLORS	Army Green
WEIGHT	3.3kg
SIZE	98L*140*74cm / 423.8*115.7*78.5in
VOLUME	70L
APPLICATION	Application: assault, range, assault, tactical, training, hunting, shooting



## DESCRIPTION

NAME	ALICE PACK BLIVE 0880
MODEL NUMBER	L-1001
MATERIAL	600D Polyester
COLORS	Army Green
WEIGHT	3.3kg
SIZE	84S*103*108cm / 49.1*113.8*78.5in
VOLUME	42L
APPLICATION	Application: assault, range, assault, tactical, training, hunting, shooting



## DESCRIPTION

NAME	ALICE PACK BLIVE 0880
MODEL NUMBER	AF-001
MATERIAL	600D Polyester
COLORS	Black
WEIGHT	3.3kg
SIZE	98L*140*74cm / 423.8*115.7*78.5in
VOLUME	70L
APPLICATION	Application: assault, range, assault, tactical, training, hunting, shooting





# Tactical Gears

 <p><b>KF-121</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-101</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-053B</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>A88060</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>A88060-1</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-088</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 
 <p><b>YKD-888</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>YKD-889</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>YKD-003</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2236</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2258A</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-004</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 
 <p><b>KF-126</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-040</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-126-B</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2266</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>GB-0065</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2269</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 
 <p><b>T9221-3</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-5042</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2282</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-011</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>KF-101</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 	 <p><b>BK-2357</b> 10L 1000 Polyester 49.5" L x 21" W x 5.5" H 49.5" L x 21" W x 5.5" H</p> 



# Tactical Gears

 <p><b>PH1070</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>PH1071</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>		 <p><b>KF-110</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>HT-1001</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	
 <p><b>PH1073</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>PH1075</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>		 <p><b>KF-070</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>HT-1002</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	
 <p><b>PH1063</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>PH1067</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>		 <p><b>HT-1006</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>HT-1003</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	
 <p><b>PH1068</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>PH1069</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>		 <p><b>HT-1007</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>HT-9068</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	
 <p><b>QT005</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>PH1070</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>		 <p><b>TL-321</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	 <p><b>HT-1004</b> Pouches uljilat 100 x 30 x 15 mm (mm) 100 x 30 x 15 mm (mm)</p>	



# Tactical Gears






# Police Gears







# Police Gears





# Police Gears





# Police Gears



**TACTICAL BELT**




# Police Gears




**YD-2013**

Nylon & Metal Buckle  
Belt + 6 accessory packs




**YD-2012-10**

Nylon & Metal Buckle  
Belt + 10 accessory packs



**CM-2202**

Nylon & Metal Buckle  
Belt + 9 accessory packs





# Police Gears





# Police Gears



Fits for Glock 17, 19, 19X, 22, 31, 32 (Gen 1-5)





# Police Gears



Fits for Glock 17, 19, 19X, 21, 22, 23, 26, 27, 31, 32, 33, 45 (Gen 1-5), S&W M&P Compact, S&W W&P 9mm, H&K USP, CZ P09/P07, Beretta APX, Walther P99, Springfield XD, Sig Sauer P320, etc.



# Police Gears



## Universal Mag. Pouch

Fits for 9mm, .40, or .45  
caliber  
Handgun magazine.

360° adjusting  
Small and compact  
Made of high-tech polymer



# Police Gears



Magnetic gun holder: N52 reinforced magnet, strong holding strength (up to 50 pounds)



# Ballistic Gears





# Ballistic Gears











# Ballistic Gears



TABLE I - TEST SUMMARY • NIJ STANDARD-0108.01

Armor Type (Protection Level)	Test Ammunition	Nominal Bullet Mass	Suggested Barrel Length	Required Bullet Velocity	Required Hits Per Arm or Specimen	Permitted Penetrations
	22 LRHV Lead	2.6 g 40 gr	15 to 16.5 cm 6 to 6.5 in	320 ± 12 m/s 1050 ± 40 ft/s	5	0
	38 Special RN Lead	10.2 g 158 gr	15 to 16.5 cm 6 to 6.5 in	259 ± 15 m/s 850 ± 50 ft/s	5	0
II-A 	357 Magnum JSP	10.2 g 158 gr	10 to 12 cm 4 to 4.75 in	381 ± 15 m/s 1250 ± 50 ft/s	5	0
	9 mm FMJ	8.0 g 124 gr	10 to 12 cm 4 to 4.75 in	332 ± 12 m/s 1090 ± 40 ft/s	5	0
II 	357 Magnum	10.2 g	15 to 16.5 cm	425 ± 15 m/s	5	0
	JSP	158 gr	6 to 6.5 in	1395 ± 50 ft/s		
	9 mm FMJ	8.0 g 124 gr	10 to 12 cm 4 to 4.75 in	358 ± 12 m/s 1175 ± 40 ft/s	5	0
III-A 	44 Magnum Lead SWC Gas Checked	15.55 g 240 gr	14 to 16 cm 5.5 to 6.25 in	426 ± 15 m/s 1400 ± 50 ft/s	5	0
	9 mm FMJ	8.0 g 124 gr	24 to 26 cm 9.5 to 10.25 in	426 ± 15 m/s 1400 ± 50 ft/s	5	0
III 	7.62 mm 308 Winchester FMJ	9.7 g 150 gr	56 cm 22 in	838 ± 15 m/s 2750 ± 50 ft/s	5	0
IV 	30-06 AP	10.8 g 166 gr	56 cm 22 in	868 ± 15 m/s 2850 ± 50 ft/s	1	0

(AP) Armor Piercing, (FMJ) Full Metal Jacket, (JSP) Jacketed Soft Point, (LRHV) Long Rifle High Velocity, (RN) Round Nose, (SWC) Semi-Wadcutter



# Ballistic Gears

Cert. No: LF202306133



中国认可  
国际互认  
检测  
TESTING  
CNAS 0209

## Certificate of Test

Client: CHINA XINXING IMPORT AND EXPORT CO.,LTD.

Address: NO.17, XISANHUAN MIDDLE ROAD, HAIJIAN DISTRICT, BEIJING, CHINA

Sample Name: Bulletproof Helmet

Physical and Chemical Inspection Center in Non-metals  
Material of Ordnance Industries

Jun.28,2023

## Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries Certificate of Test

Page 1 of 4

Cert. No: LF202306133

Sample Name	Bulletproof Helmet	Test Type	Corrosion Test
Client	CHINA XINXING IMPORT AND EXPORT CO.,LTD.	Contact Person	Andy
Address	NO.17, XISANHUAN MIDDLE ROAD, HAIJIAN DISTRICT, BEIJING, CHINA	Phone	010-8617266
Date Received	06/15/2023	Date Tested	06/21/2023
Sample Type	20Y0D100-1	Sample Amount	1
Test Standard	NI 0106.01 NI Standard for Ballistic Helmets NI 0101.06 Ballistic Resistance of Body Armor (IIA, I/4 Mag.)		
Categories	Ballistic Resistance		
Test Conclusion	<p>The Bulletproof Helmet provided by CHINA XINXING IMPORT AND EXPORT CO.,LTD. was tested according with NI 0106.01, NI 0101.06 (IIA (44 Mag.) under normal temperature and humidity, no perforation occurs after four ball shots in the sample with 44 Magnum SH&amp;P under the reference velocity of <math>436m/s \pm 9m/s</math>, and the maximum Trauma Height is <math>41.1mm</math>.</p> <p>Laboratory configuration, sample description and test results are showed from page 2 to 4.</p>		
Physical and Chemical Inspection Center in Non-metals Material of Ordnance Industries Jun.28,2023			
Prepared By:	Gallen	Reviewed By:	Peifang
		Approved By:	George




Fig. 3 front panel (strike face)



Fig. 4 front panel (wear face)



# Ballistic Gears



Physical and Chemical Inspection Center  
in Non-metals Material of Ordnance Industries  
Certificate of Test

Page 4 of 4

Cert. No: LF202306133

Attached Pictures



(a) front



(b) back



(c) left



(d) right



(e) inside

Fig. 1 Bulletproof Helmet 20Y07D10K-1 (after testing)



# Ballistic Gears





# Ballistic Gears





# Ballistic Gears





# EOD Equipments



## Technical Specifications

Weight	<35KG
Composition	Helmets, masks, chest protector, back protector, shoulder protector, arm protector, leg protector
Helmet Protection Capability	V50: $\geq 725\text{m/s}$
Mask Protection Capability	V50: $\geq 745\text{m/s}$
Protection Capacity of the Thoracic Insertion Plate	V50: $\geq 1690\text{m/s}$
Ability to Protect the Bulletproof Layer	V50: $\geq 890\text{m/s}$
Special configuration	Exhaust air system and battery power system



# EOD Equipments



Component	V-50 Rating (m/s)
Suit	600 m/s
Helmet	600 m/s
Helmet Visor	800m/s
Blast Plates (groin, chest, and neck)	1600m/s
Thigh Front	650m/s
Shin Front	600m/s
Foot Cover	450m/s
Feature	<ol style="list-style-type: none"><li>1.Helmet Remote Control Module</li><li>2.Intelligent hand controller design</li><li>3.Two highlight LED headlamp</li><li>4.Optional body Cooling System provides personal cooling</li><li>5.Groin plate retracts</li></ol>



# EOD Equipments



GAJQRPB-HJ72



A-TAC EOD Robot



HJ-R30-Throw Surveillance robot



GAJQRPB-HJH1 robot



HJ-RM14-Throw Surveillance robot



HJ-RBOT710 v2.0 EOD



# EOD Equipments



**Distructor**



**Multi-sensor**



**X-ray**



**Mine detector**



**Endoscope**



**Non liner detector**



**EOD TOOLS**



# EOD Equipments





# Military Robot



## CBRN ROBOT

### Biological monitoring equipment parameters

Monitoring objects	Microbial Particles such as Bacteria, Fungi, Viruses, Toxins, and Spores
Alarm Sensitivity	$\leq 3ACPLA$
Particle Size Channel	13 Channel
Flow Rate	$\geq 2L/min$
Alarm Time	$\leq 10s$

### Nuclear testing equipment parameters

$\gamma$ dose rate measurement range	$0.1\mu Gy/h \sim 100mGy/h$
Cumulative Dose Range	$0.1\mu Gy \sim 10Gy$
Energy Response	$< \pm 30\%$ ( $50keV \sim 3MeV$ )
Nuclide Library	3000
Energy Resolution	$< 3.5\%$ ( $^{137}Cs$ )

### Parameters of Chemical Detection Equipment

Alarm Type	Pump-Suction Type
Number of Gases	300 Types
Types of Gases	Nerve Agents, Vesicant Agents, Asphyxiant Agents, Systemic Toxic Agents, Toxic and Hazardous Gases



# Military Robot

## Fire ROBOT



Dimension	1340*790*1130mm (Approx.)
G.W	385kg
Adaptability	All terrain (Grass, Sand, Snow, Gravel, Marsh)
Steering Diameter	≤1500mm
Climbing Ability	35-40°C
Water Shooting Range	50-65m (horizontally); 15-30m (vertically)
Moving Speed	0-1.8m/s (6.48km/h)
Motors	Electric Motor 2000(W) x 2
Battery Pack	48V Li-ion Battery (Rechargeable)
Working Duration	Endurance time: 16h, continuous working time: 4h
Remote control	Range 0.5m-1.1km
Protection	IP67/IP68



# Military Robot





# Military Robot

## Under water rescue ROBOT



The front of Robot is equipped with a high-definition (1080p, 30fps) wide-angle low-light camera. The camera angle can be controlled by the gimbal. When using a single-degree-of-freedom gimbal, the operator can control the tilt of the camera to look up or down through the gimbal even if the ROV is in a horizontal state. BlueROV2 also supports dual-channel gimbal expansion to obtain a wider field of view. The ROV can be equipped with two or four dimmable lights, providing up to 6,000 lumens of brightness to illuminate the deep ocean.



# Electronics-Optics Gears-ENVM



Rapid Target Acquisition



Multiple Fusion Modes Switchable



12 $\mu$ m Thermal Imaging



Low Power Consumption



Combat Information Input (HUD)



Light Weight (360g)




Extra Large Exit Pupil Diameter (15mm)



## CX-JF Enhanced Night Vision Monocular

CX-JF Enhanced night vision combines image intensification (I<sup>2</sup>) and thermal imaging technology in one device. The monocular system uses I<sup>2</sup> to provide clear target identification and IR (thermal imaging) to provide improved target detection. By combining the strengths of both technologies into one unit, soldiers are able to complete their missions more effectively.

### Operating Distance





# Electronics-Optics Gears-NVG



Light weight



Extra-long eye relief



Binocular 3D vision



Compact size



## CX-J31 Binocular Night Vision Goggle

CX-J31 Binocular night vision goggle adopts super second-generation low light tubes. With reliable and superior performance, compact size, and ultra-light weight, it provides high-definition images to effectively improve situation awareness and self-protection capabilities.



### Operating Distance



Identification Recognition



Identification Recognition



Human target  
1.7m x 0.5m

Vehicle target  
4.6m x 2.3m



- **Compacter size, lighter weight**
- 10mm shorter than the competing products
- 70g lighter than the competing products



# Electronics-Optics Gears-ENVG



Binocular Three-dimensional Vision



3rd Generation High-definition I<sup>2</sup> Night Vision



12µm Thermal Imaging



Rapid Target Acquisition



Combat Information Input (HUD)



Multiple Fusion Modes Switchable




Extra Large Exit Pupil Diameter (15mm)

**CX-FB Enhanced Night Vision Binocular Goggle**  
CX-FB is equipped with a new generation of night vision fusion technology, by which the binocular three-dimensional imaging and thermal imaging technology make it possible for users to recognize targets and distinguish threats quickly.



## Operating Distance






# Electronic Products

## Night Vision Scope

- Image Tube: IIT2+/IIT3
- Magnification: 4x, 5x
- Resolution (lines per/mm): 57-64/60-72
- Focus range (m): from 10 to infinity
- Exit pupil (mm): 4,5
- Power supply: Li-ion battery CR123 (1pc)
- Waterproof: IP65/IP67






# Electronic Products

## Thermal Weapon Sight

- Sensor: Uncooled Type
- Image magnification: x1, x2, x4
- Max. detection range: 1800m (static target)
- Max. recognition range: 1200m (static target)
- Interface: Aviation grade connector
- Battery: 18650 Li-ion battery x2






# Electronic Products

## Shooting Target equipment

- High -precision: Report target accuracy <math><3\text{mm}</math>, accuracy >98%; strong stability: strong use of stability, 0 leakage 0 reports; Low losses: use standard general target board consumables;
- Large torque: large torque, large load, strong wind resistance capacity, can quickly lift heavy targetboards;
- High efficiency: automatic detection and analysis in real time, automatic display of voice broadcasts in real time;
- Ultra -long distance, wireless control: 500m.






# Electronic Products



Design and construction of indoor (outdoor) shooting range





# Electronic Products

## Stereo Listening Through Wall System

This multi-function stereo listening through wall device is the most updated one in similar products nowadays, which can give listener the clearest audio information they are going to know. This is a special amplifier that will pick up the slightest noise through solid objects like a wall, so you can listen to what is happening on the other side. The contact microphone is a ceramic pin specially developed for converting vibration into audible noise. It has two powerful transducers together comprise an exceptional monitoring device. It is widely used in police, prison and intelligence department.





# Electronic Products

**Non-Linear Junction Detector (a detected electronic component, used for eavesdropping security detection in conference rooms and etc.)**

An unique non-linear junction detector that is notable for its compact size, ergonomic design and weight, highly competitive with most popular models of non-linear junction detectors. It can operate in continuous and pulse mode as well, having a variable power output. Automatic frequency selection allows operation in complex electromagnetic environment.

Its power output is harmless to operator's health. Operation at higher frequencies makes it in some cases more efficient than detectors with standard frequencies but with greater power output.





# Electronic Products

## Handheld UAV Jammer

The device is designed to interfere with the frequency band used by UAV, forcing it to hover in the air and land. And it will completely isolate UAV from the remote control or ground station, ending up with securing the low-altitude airspace of the area.

Operating distance: 2000 m.

BAND1: 840-890Mhz

BAND2: 890-930Mhz

BAND3: 1180-1280Mhz (GPS/GLONASS/BEIDOU)

BAND4: 1550-1620Mhz (GPS/GLONASS/BEIDOU)

BAND5: 2400-2500Mhz

BAND6: 5715-5850Mhz





# Electronic Products

## Underground Metal Detector

This is a multi-purpose metal detector introduces, which is simplified control an improved ergonomic design and advanced battery management. It is weather resistant and designed to withstand extended periods of use in harsh environment while providing a high level of sensitivity.

The instrument is powered with three rechargeable 'D' cells, which can continuously work for 12 hours.

It includes easily interchangeable detection heads: a robust halo for rapid area search, a probe for searching drains, culverts, hedges and undergrowth.

Item No.	Target Size	Detection range at low level	Detection range at medium level	Target Picture
1	268x74x144mm	30cm	40cm	
2	298x78x180mm	25cm	38cm	
3	307x54x184mm	18cm	32cm	
4	347x82x195mm	25cm	33cm	
5	275x62x134mm	17cm	32cm	
6	Coin, D25mm 8gram	7cm	16cm	





# Electronic Products



## Telescopic IR Search Camera

The telescopic IR search camera is a highly versatile, which is designed for the visual inspection of the illegal immigrants and contraband in the inaccessible and out-of-sight areas such as upper floor windows, sunshade, under vehicle, pipeline, containers etc.

The telescopic IR search Camera is mounted onto a high-intensity and lightweight carbon fibre telescopic pole. And the video will be changed to black and white in very low light conditions through IR light.





# Electronic Products

## Portable Dual Mode Explosive & Drugs Detector

Based on the principle of dual-mode ion mobility spectrum (IMS), it use a new non-radioactive ionization source, which can simultaneously detect and analyze trace explosive and drug particles, and the detection sensitivity reaches the nanogram level. The special swab is swabbed and sampled on the surface of the suspicious object. After the swab is inserted into the detector, the detector will immediately report the specific composition and type of explosives and drugs. Continuous operating time >8 hours on single battery. Cold start time is less than 10 seconds. TNT detection limit 0.05 ng, more than 30 explosives can be detected.





# Electronic Products

## Portable Detector for Radiation, Chemical Toxic, Explosive and Narcotics

The product uses IMS (Ion Mobility Spectrometry) to detect nuclear radiation, chemical reagent, drugs, explosives and etc.

Type	What Can be Detected
TIC Toxic Industrial Chemicals	H <sub>2</sub> S, NH <sub>3</sub> , SO <sub>2</sub> , Acetone etc.
CWA Chemical Reagents	GA, GB, GD, VX, GF, HD, CG, L etc.
Explosive detection	TNT, BP, PETN, NG, AN, RDX, TATP etc.
Narcotics detection	Cocaine, Heroin, THC, MA, Ketamine etc.
Radiation detection	x ray, γ ray



Radiation



CWA & TIC



Explosive



Narcotic



# Electronic Products

## Underwater Sonar Life Detector


With the help of the Sonar system's side and background imaging technology, you can quickly determine the location of the target and see it, for example, identify sunken ships, vehicles and people injured in accidents next to your ship. Traditional sonar technology requires some time, even several hours, to determine the location of the target. But with the system's side imaging system, you may only need a few minutes to find the target.





# Electronics-Communications

China Xinxing communication segment can provide end-to-end tactical communication solutions cover HF, VHF, multi-band for military, armed police and public safety dept.





# Electronics-Communications



Multiband carry-on radio



Multiband Vehicle-mounted radio

Frequency	NB: 30 – 511.975 MHz, WB: 225 – 511.975 MHz To Air: 108-173.975MHz, 225-399.975MHz Satellite: Tx: 1980-2010MHz, Rx: 2170-2200MHz
Bandwidth	NB: 25kHz, 75kHz, WB: 5MHz, 10MHz
Channels	100 channels
Output power	Carry-on: 1/5/10W Vehicle-mounted: 1/25/50W
Freq. stability	$\leq \pm 0.5\text{ppm}$
Data speed	$\leq 8\text{Mbps}$
Environment adaptability	MIL-STD-810G
Temperature	-40°C- +65°C



# Electronics-Communications




Shoulder type



Ordinary type

- Frequency band: 350MHz ~ 390MHz (shoulder type), 350MHz ~ 425MHz (ordinary type)
- Working temperature:  $-25^{\circ}\text{C} \sim +65^{\circ}\text{C}$
- Electromagnetic compatibility: Meet the requirements of RE102, RS103, CS114 in GJB 151B-2013
- The product has the functions of positioning, rewinding, alarming, etc.
- Shoulder type ( $2\text{W} \pm 0.5\text{W}$ ): 3km (urban area)/5km (line of sight)
- Ordinary type ( $3.5\text{W} \pm 0.5\text{W}$ ): 5km (urban area)/8km (line of sight)




Vehicle-mounted radio

- Frequency band: 350MHz ~ 425MHz
- Transmitting power: 25W
- Receiving sensitivity: 0.224uV
- Direct connection distance: 8 kilometers (urban area) / 20 kilometers (sight distance)



# Electronics-Communications




## CNR: Combat Network Radio

- Frequency Ranges: 30~512 MHz/  
108-174MHz/225-400MHz (AM)
- Voice and data communications between combat units point-to-point
- Include: AM/FM/FHC/FCS working modes
- Hops: 1000hops/s
- Data transmission rate can reach 48kbps.



# Electronics-Communications

## Dual Channels Design





# Electronics-Communications

*West Asia*



*Madagascar-Military Parade*





# Electronics- Communications

**Burkina Faso**



**Saudi Arabia**



**D.R.Congo**





# Electronics-Information



**Reinforced PC**



**Reinforced Tablet**




# Parachutes



**Military Parachutes Backpack**



**Freedrop Parachutes**



**Round Parachutes**



# Parachute



Sports section parachute




Airdrop System



# Parachute Support Equipment



Tactical parachute landing helmet  
High-strength carbon fiber stack molding, high strength, light weight, top with 8 ventilation holes



Windproof glasses  
It is worn during skydiving to protect the eyes from wind impact during high-speed descent.



Parachute knife  
It is worn during skydiving to protect the eyes from wind impact during high-speed descent.



# Jump Suit



To provide cold protection for soldiers in winter parachuting, high-altitude parachuting and other tasks in cold environments. Suitable for HAHO/HALO 5000-11000m ultra-high altitude skydiving.



Suitable for beginners to use, you can better control the air body posture and free fall speed, convenient for coaches to implement assistance in the air.



# Parachute support equipment



Automatic unlocking device



Digital altimeter

<b>Activation height</b>	40~300m
<b>Activation response time</b>	2 ms
<b>Operating altitude range</b>	Altitude -2000 m to 25,000 m
<b>measurement accuracy</b>	10 cm
<b>Height compensation function</b>	Have
<b>Height compensation setting range</b>	Height setting range: -2000 m to 2000 m Air pressure setting range: 400hPa~1200hPa

<b>Height compensation setting range</b>	-6000 ft to 6000 ft (-2000 m to 2000 m) 400hPa to 1200hPa
<b>Operating altitude range</b>	Altitude - 6,000 feet to 30,000 feet (altitude - 1,800 meters to 9,000 meters)
<b>Storage temperature</b>	-30°C - 80°C
<b>Operating temperature</b>	-30°C - 70°C
<b>Store compressed air</b>	300 hPa - 1250 hPa
<b>Maximum permissible humidity</b>	99.9%relative humidity



## Parachute support equipment



Parachute navigator

<b>Size</b>	83mm x 54mm x 25mm
<b>Weight</b>	100g
<b>Screen size</b>	2.7" (59mm x 35mm)
<b>Screen resolution</b>	400 x 240 pixel
<b>Screen type</b>	Clear in sunlight, semi-transparent reflective color screen (MIP)
<b>Type of battery</b>	3 AAA battery
<b>Time of endurance</b>	Navigation mode 48 hours altimeter mode 7 days time mode 1 month



# Parachute support equipment



Product	Height alarm
Height compensation can be set Error	±1%
Operating height	altitude -1800 to 9000 meters
Operating temperature range	-30°C~70°C



Product	Hand-held weather station
Temperature measurement range	30°C~70°C,-40°C~80°C
Temperature measurement accuracy	±0.3°C, ±0.2°C(5°C~35°C)
Infrared temperature measurement range	-70°C~380°C



Product	Parachute descent distance alarm
Size	58mm*35mm*16mm
Weight	50g
Operating height	Altitude -1800 to 9000 m
Detection sensitivity	-96dBm




Product	Night wind indicator
Designed for night skydiving missions, it can provide wind speed and direction information of the target landing site.	



# Logistic Gears


## MILITARY MOULDING CASE & CONTAINER

- Chinese Military Standard: GJB-150
- US Military Standard: MIL-STD-810G





# Logistic Gears





# Logistic Gears






# Logistic Gears






# Logistic Gears





# Logistic Gears





# Logistic Gears



Construction of the Barrier



All surrounding protection of the Military Base




# Logistic Gears



**China Xinxing Military Barrier Explosion Test (Air to Ground Missile AR-2)** Max. withstand: 600KG TNT



# Logistic Gears





# Logistic Gears





# Tactical Gears



*Snowfield camouflage net erection*



*Visible light image(Above)&UV image(Under)*



# Logistic Gears





# Logistic Gears



*Near infrared image :Equipment without camouflaged*



*Near infrared image :Camouflaged equipment*



*Infrared image :Equipment without camouflaged*



*Infrared image :Camouflaged equipment*



# Logistic Gears




*Infrared image :  
Tank without camouflaged*




*Infrared image :  
Tank is camouflaged by anti-infrared camouflage net*



# Special Vehicles




Drive mode	4x4 (4x2 is optional)
Chassis brand	Benz/Sinotruk (optional)
Barrier	Size of each mesh: Diameter at 12mm
	Unfolded size: 9350mm (L) x 3110mm (W)
	Unfolding time: 90 seconds
Anti riot protection	Driver's cab and rear window are protected by metal net Rear display screen protected by easily-replaceable PC plate
Lifting illumination and camera	Lifting height 1.8m, vision @ 360°






# *Special Vehicles*





# Special Vehicles





# Special Vehicles



Road block separated  
from the chassis.  
Independent  
Max. width: 28m



# Special Vehicles



DongFeng, the best military off-road vehicle made in China, originated from 1970s.

DongFeng is strategic partner with China Xinxing for the military off-road vehicle.



DongFeng Warrior 4x4 Off-road Vehicle (3<sup>rd</sup> Generation)



# Special Vehicles



## General Specification

Cab number	4-10 persons
Drive Mode	4x4
Loading mass	1500kg
Traction mass	2000g
Total length	4750mm
Total width	2220mm
Total height	2500mm
Wheelbase	3300mm
Max. speed	105km/h
Fuel type	Diesel
Endurance	≥600km



# Special Vehicles



## General Specification

Cab number	6
Drive Mode	4x4
Loading mass	1200kgs
Traction mass	2000kgs
Total length	5600mm
Total width	2400mm
Total height	2500mm
Wheelbase	3300mm
Max. speed	120km/h
Fuel type	Diesel
Endurance	≥600km



# Special Vehicles



Armored Vehicles Design









# Special Vehicles



Type	Armored Vehicle
Engine	Ford F550 7.3L V8 (petrol) 5-speed automatic
Total Mass	8165 kg
Armored Level	Against 7.62mm API Level IV
Displacement	7.3 L
Maximum Speed	≥130 km/h
Driving mode	4x4
Dimension	6400 × 2420 × 2980mm
Wheelbase	3675mm
Number of Seats	10 seats (2+2+6), 5 doors
Number of Tires	4+1



# Special Vehicles



Engine power	213KW
Reservoir capacity	10000L
Number of water cannons	2 Main water cannon
Maximum range	65 meters
Water gun angle adjustment	Left arm: $-135^{\circ} \sim +10^{\circ}$
	Right weapon: $-10^{\circ} \sim +135^{\circ}$
Body spray function	Spray air-water mixture
Automatic fire suppression system	Standard
Foam deposit	100L
Dye tank	100L
gas reservoir	100L
Acoustic and optical systems	standard
Hydraulic push rod	Positive standard



# Special Vehicles



On Aug. 7<sup>th</sup> 2013, China Xinxing watercannon vehicles exported to West Africa.



# Special Vehicles



## Military Parade Vehicle

Beijing 4x4 Military Chassis

Displacement: 3.0L

Special version for military parade



# Special Vehicles



On Jan. 24, 2024, China Xinxing Military Parade Vehicle serves for Royal Cambodian Army Parade.



# Special Vehicles



Engine type	V-shaped water-cooled dual cylinder
Displacement	1279cc
Maximum power	105kW
Maximum torque	120N.m
Ignition method	ECU
Startup mode	Electronic starter
Transmission type	6 gears



# Special Vehicles





# Medical Emergency





# Medical Emergency





# Medical Emergency



Emergency Tourniquet



# Medical Emergency



Emergency Tourniquet



# *Completed Solutions*



**We can not only provide the finished products, we can also help you to establish the localization capabilities!**



# Completed Solutions

Military  
Logistics

Medical  
Products

Police  
Gears

Special  
Vehicles

Outdoor  
Equipment



Capability

Production  
Devices

Material Supply



# Completed Solutions





MAIGA & CO®

INTERNATIONAL

|

ALLAH KI YIRIWA



+90 535 941 47 28

+223 74 73 00 06

WWW.MAIGACO.COM

MAHAMADUMAIGA906@YAHOO.COM